

```
1 <?xml version="1.0"?>
2 <DTS:Executable xmlns:DTS="www.microsoft.com/SqlServer/Dts"
3   DTS:refId="Package"
4   DTS:CreationDate="12/19/2018 11:20:28 AM"
5   DTS:CreationName="Microsoft.Package"
6   DTS:CreatorComputerName="DAVID-W10"
7   DTS:CreatorName="DAVID-W10\david"
8   DTS:Description="SSIS Package Description"
9   DTS:DTSID="{D7F0F08A-5A0F-4B0F-A5BD-E3EC22134A0D}"
10  DTS:ExecutableType="Microsoft.Package"
11  DTS:LastModifiedProductVersion="14.0.2002.14"
12  DTS:LocaleID="1033"
13  DTS:MaxErrorCount="0"
14  DTS:ObjectName="History"
15  DTS:VersionGUID="{D0FDC3FE-D912-4FED-8854-C1101C4616F9}">
16 <DTS:Property
17   DTS:Name="PackageFormatVersion">8</DTS:Property>
18 <DTS:ConnectionManagers>
19   <DTS:ConnectionManager
20     DTS:refId="Package.ConnectionManagers[DestinationConnectionOLEDB]"
21     DTS:CreationName="OLEDB"
22     DTS:DTSID="{2CEA6BA1-1C50-4633-863D-F71FC3734E8E}"
23     DTS:ObjectName="DestinationConnectionOLEDB">
24     <DTS:ObjectData>
25       <DTS:ConnectionManager
26         DTS:ConnectionString="Data Source=(local);Initial
27           Catalog=Elections;Provider=SQLOLEDB;Integrated Security=SSPI;Auto
28           Translate=false;" />
29     </DTS:ObjectData>
30   </DTS:ConnectionManager>
31   <DTS:ConnectionManager
32     DTS:refId="Package.ConnectionManagers[SourceConnectionFlatFile]"
33     DTS:CreationName="FLATFILE"
34     DTS:DTSID="{D616A1E0-FFE9-4CA2-A55C-D01B4CAB31A6}"
35     DTS:ObjectName="SourceConnectionFlatFile">
36     <DTS:ObjectData>
37       <DTS:ConnectionManager
38         DTS:Format="Delimited"
39         DTS:LocaleID="1033"
40         DTS:HeaderRowDelimiter="_x000D_x000A_"
41         DTS:RowDelimiter=""
42         DTS:TextQualifier="_x003C_none_x003E_"
43         DTS:CodePage="1252"
44         DTS:ConnectionString="C:\Users\david\Documents\QGIS Election
45           Maps\_SourceData\Floirida Election Data\DOE Voter Data Extract
46           DVD\2018-12\ALL_HISTORY.tab">
47     <DTS:FlatFileColumns>
48       <DTS:FlatFileColumn
49         DTS:ColumnType="Delimited"
50         DTS:ColumnDelimiter="_x0009_"
51         DTS:DataType="302"
52         DTS:TextQualified="True"
53         DTS:ObjectName="Column 0"
54         DTS:DTSID="{708779D4-8883-43A6-96D7-60C811A4FD35}"
55         DTS:CreationName="" />
56       <DTS:FlatFileColumn
57         DTS:ColumnType="Delimited"
58         DTS:ColumnDelimiter="_x0009_"
59         DTS:DataType="302"
60         DTS:TextQualified="True"
61         DTS:ObjectName="Column 1"
62         DTS:DTSID="{621B31D4-63B8-4028-B7AE-39F5781C8074}"
63         DTS:CreationName="" />
64       <DTS:FlatFileColumn
65         DTS:ColumnType="Delimited"
66         DTS:ColumnDelimiter="_x0009_"
67         DTS:DataType="302"
```

```

64         DTS:TextQualified="True"
65         DTS:ObjectName="Column 2"
66         DTS:DTSID="{95D4A7D6-9041-4561-8A79-A8A4448E2FD4}"
67         DTS:CreationName="" />
68     <DTS:FlatFileColumn
69         DTS:ColumnType="Delimited"
70         DTS:ColumnDelimiter="_x0009_"
71         DTS:DataType="302"
72         DTS:TextQualified="True"
73         DTS:ObjectName="Column 3"
74         DTS:DTSID="{B1E4BEA2-F105-4BB4-8422-D03DA605F0B7}"
75         DTS:CreationName="" />
76     <DTS:FlatFileColumn
77         DTS:ColumnType="Delimited"
78         DTS:ColumnDelimiter="_x000D__x000A_"
79         DTS:DataType="302"
80         DTS:TextQualified="True"
81         DTS:ObjectName="Column 4"
82         DTS:DTSID="{427BA072-F349-4C9E-983A-9B88F220506B}"
83         DTS:CreationName="" />
84     </DTS:FlatFileColumns>
85     </DTS:ConnectionManager>
86 </DTS:ObjectData>
87 </DTS:ConnectionManager>
88 </DTS:ConnectionManagers>
89 <DTS:Variables />
90 <DTS:Executables>
91     <DTS:Executable
92         DTS:refId="Package\Data Flow Task 1"
93         DTS:CreationName="Microsoft.Pipeline"
94         DTS:DTSID="{934F851E-7F6D-4D64-930E-9B5F2BAD615A}"
95         DTS:ExecutableType="Microsoft.Pipeline"
96         DTS:FailPackageOnFailure="True"
97         DTS:LocaleID="-1"
98         DTS:ObjectName="Data Flow Task 1"
99         DTS:TaskContact="Performs high-performance data extraction, transformation and
loading;Microsoft Corporation; Microsoft SQL Server; (C) Microsoft Corporation;
All Rights Reserved;http://www.microsoft.com/sql/support/default.asp;1">
100     <DTS:Variables />
101     <DTS:ObjectData>
102         <pipeline
103             defaultBufferSize="3145728"
104             version="1">
105             <components>
106                 <component
107                     refId="Package\Data Flow Task 1\Data Conversion 0 - 0"
108                     componentClassID="Microsoft.DataConvert"
109                     contactInfo="Data Conversion;Microsoft Corporation; Microsoft SQL Server;
(C) Microsoft Corporation; All Rights Reserved;
http://www.microsoft.com/sql/support;0"
110                     description="Data Conversion"
111                     name="Data Conversion 0 - 0"
112                     usesDispositions="true">
113                     <inputs>
114                         <input
115                             refId="Package\Data Flow Task 1\Data Conversion 0 - 0.Inputs[Data
Conversion Input]"
116                             name="Data Conversion Input">
117                             <inputColumns>
118                                 <inputColumn
119                                     refId="Package\Data Flow Task 1\Data Conversion 0 - 0.Inputs[Data
Conversion Input].Columns[Column 0]"
120                                     cachedCodepage="1252"
121                                     cachedDataType="text"
122                                     cachedName="Column 0"
123                                     lineageId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column

```

```

124         0]" />
125     <inputColumn
126         refId="Package\Data Flow Task 1\Data Conversion 0 - 0.Inputs[Data
127         Conversion Input].Columns[Column 1]"
128         cachedCodepage="1252"
129         cachedDataType="text"
130         cachedName="Column 1"
131         lineageId="Package\Data Flow Task 1\Source -
132         ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column
133         1]" />
134     <inputColumn
135         refId="Package\Data Flow Task 1\Data Conversion 0 - 0.Inputs[Data
136         Conversion Input].Columns[Column 3]"
137         cachedCodepage="1252"
138         cachedDataType="text"
139         cachedName="Column 3"
140         lineageId="Package\Data Flow Task 1\Source -
141         ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column
142         3]" />
143     <inputColumn
144         refId="Package\Data Flow Task 1\Data Conversion 0 - 0.Inputs[Data
145         Conversion Input].Columns[Column 4]"
146         cachedCodepage="1252"
147         cachedDataType="text"
148         cachedName="Column 4"
149         lineageId="Package\Data Flow Task 1\Source -
150         ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column
151         4]" />
152 </inputColumns>
153 <externalMetadataColumns />
154 </input>
155 </inputs>
156 <outputs>
157     <output
158         refId="Package\Data Flow Task 1\Data Conversion 0 - 0.Outputs[Data
159         Conversion Output]"
160         exclusionGroup="1"
161         name="Data Conversion Output"
162         synchronousInputId="Package\Data Flow Task 1\Data Conversion 0 -
163         0.Inputs[Data Conversion Input]">
164     <outputColumns>
165         <outputColumn
166             refId="Package\Data Flow Task 1\Data Conversion 0 -
167             0.Outputs[Data Conversion Output].Columns[Column 0]"
168             codePage="1252"
169             dataType="str"
170             errorOrTruncationOperation="Conversion"
171             errorRowDisposition="FailComponent"
172             length="3"
173             lineageId="Package\Data Flow Task 1\Data Conversion 0 -
174             0.Outputs[Data Conversion Output].Columns[Column 0]"
175             name="Column 0"
176             truncationRowDisposition="FailComponent">
177         <properties>
178             <property
179                 containsID="true"
180                 dataType="System.Int32"
181                 description="Specifies the input column used as the source of
182                 data for the conversion."
183                 name="SourceInputColumnNameLineageID">#{Package\Data Flow Task
184                 1\Source - ALL_HISTORY_tab.Outputs[Flat File Source
185                 Output].Columns[Column 0]}</property>
186             <property
187                 dataType="System.Boolean"
188                 description="Indicates whether the column uses the faster,
189                 locale-neutral parsing routines."
190                 name="FastParse">>false</property>

```

```

173         </properties>
174     </outputColumn>
175     <outputColumn
176         refId="Package\Data Flow Task 1\Data Conversion 0 -
0.Outputs[Data Conversion Output].Columns[Column 1]"
177         codePage="1252"
178         dataType="str"
179         errorOrTruncationOperation="Conversion"
180         errorRowDisposition="FailComponent"
181         length="10"
182         lineageId="Package\Data Flow Task 1\Data Conversion 0 -
0.Outputs[Data Conversion Output].Columns[Column 1]"
183         name="Column 1"
184         truncationRowDisposition="FailComponent">
185     <properties>
186         <property
187             containsID="true"
188             dataType="System.Int32"
189             description="Specifies the input column used as the source of
data for the conversion."
190             name="SourceInputColumnLineageID">#{Package\Data Flow Task
1\Source - ALL_HISTORY_tab.Outputs[Flat File Source
Output].Columns[Column 1]}</property>
191         <property
192             dataType="System.Boolean"
193             description="Indicates whether the column uses the faster,
locale-neutral parsing routines."
194             name="FastParse">>false</property>
195     </properties>
196 </outputColumn>
197 <outputColumn
198     refId="Package\Data Flow Task 1\Data Conversion 0 -
0.Outputs[Data Conversion Output].Columns[Column 3]"
199     codePage="1252"
200     dataType="str"
201     errorOrTruncationOperation="Conversion"
202     errorRowDisposition="FailComponent"
203     length="3"
204     lineageId="Package\Data Flow Task 1\Data Conversion 0 -
0.Outputs[Data Conversion Output].Columns[Column 3]"
205     name="Column 3"
206     truncationRowDisposition="FailComponent">
207 <properties>
208     <property
209         containsID="true"
210         dataType="System.Int32"
211         description="Specifies the input column used as the source of
data for the conversion."
212         name="SourceInputColumnLineageID">#{Package\Data Flow Task
1\Source - ALL_HISTORY_tab.Outputs[Flat File Source
Output].Columns[Column 3]}</property>
213     <property
214         dataType="System.Boolean"
215         description="Indicates whether the column uses the faster,
locale-neutral parsing routines."
216         name="FastParse">>false</property>
217 </properties>
218 </outputColumn>
219 <outputColumn
220     refId="Package\Data Flow Task 1\Data Conversion 0 -
0.Outputs[Data Conversion Output].Columns[Column 4]"
221     codePage="1252"
222     dataType="str"
223     errorOrTruncationOperation="Conversion"
224     errorRowDisposition="FailComponent"
225     length="1"
226     lineageId="Package\Data Flow Task 1\Data Conversion 0 -

```

```

227         0.Outputs[Data Conversion Output].Columns[Column 4]"
228         name="Column 4"
229         truncationRowDisposition="FailComponent">
230         <properties>
231             <property
232                 containsID="true"
233                 dataType="System.Int32"
234                 description="Specifies the input column used as the source of
235                 data for the conversion."
236                 name="SourceInputColumnLineageID">#{Package\Data Flow Task
237                 1\Source - ALL_HISTORY_tab.Outputs[Flat File Source
238                 Output].Columns[Column 4]}</property>
239             <property
240                 dataType="System.Boolean"
241                 description="Indicates whether the column uses the faster,
242                 locale-neutral parsing routines."
243                 name="FastParse">>false</property>
244         </properties>
245     </outputColumn>
246 </outputColumns>
247 <externalMetadataColumns />
248 </output>
249 <output
250     refId="Package\Data Flow Task 1\Data Conversion 0 - 0.Outputs[Data
251     Conversion Error Output]"
252     exclusionGroup="1"
253     isErrorOut="true"
254     name="Data Conversion Error Output"
255     synchronousInputId="Package\Data Flow Task 1\Data Conversion 0 -
256     0.Inputs[Data Conversion Input]">
257     <outputColumns>
258         <outputColumn
259             refId="Package\Data Flow Task 1\Data Conversion 0 -
260             0.Outputs[Data Conversion Error Output].Columns[ErrorCode]"
261             dataType="i4"
262             lineageId="Package\Data Flow Task 1\Data Conversion 0 -
263             0.Outputs[Data Conversion Error Output].Columns[ErrorCode]"
264             name="ErrorCode"
265             specialFlags="1" />
266         <outputColumn
267             refId="Package\Data Flow Task 1\Data Conversion 0 -
268             0.Outputs[Data Conversion Error Output].Columns[ErrorColumn]"
269             dataType="i4"
270             lineageId="Package\Data Flow Task 1\Data Conversion 0 -
271             0.Outputs[Data Conversion Error Output].Columns[ErrorColumn]"
272             name="ErrorColumn"
273             specialFlags="2" />
274     </outputColumns>
275     <externalMetadataColumns />
276 </output>
277 </outputs>
278 </component>
279 <component
280     refId="Package\Data Flow Task 1\Destination - tblVoterHistories"
281     componentClassID="Microsoft.OLEDBDestination"
282     contactInfo="OLE DB Destination;Microsoft Corporation; Microsoft SQL
283     Server; (C) Microsoft Corporation; All Rights Reserved;
284     http://www.microsoft.com/sql/support;4"
285     description="OLE DB Destination"
286     name="Destination - tblVoterHistories"
287     usesDispositions="true"
288     version="4">
289     <properties>
290         <property
291             dataType="System.Int32"
292             description="The number of seconds before a command times out. A
293             value of 0 indicates an infinite time-out."

```

```

280         name="CommandTimeout">0</property>
281     <property
282         dataType="System.String"
283         description="Specifies the name of the database object used to open a
rowset."
284         name="OpenRowset">[dbo].[tblVoterHistories]</property>
285     <property
286         dataType="System.String"
287         description="Specifies the variable that contains the name of the
database object used to open a rowset."
288         name="OpenRowsetVariable"></property>
289     <property
290         dataType="System.String"
291         description="The SQL command to be executed."
292         name="SqlCommand"
293
294         UITypeEditor="Microsoft.DataTransformationServices.Controls.ModalMultil
ineStringEditor"></property>
295     <property
296         dataType="System.Int32"
297         description="Specifies the column code page to use when code page
information is unavailable from the data source."
298         name="DefaultCodePage">1252</property>
299     <property
300         dataType="System.Boolean"
301         description="Forces the use of the DefaultCodePage property value
when describing character data."
302         name="AlwaysUseDefaultCodePage">>false</property>
303     <property
304         dataType="System.Int32"
305         description="Specifies the mode used to access the database."
306         name="AccessMode"
307         typeConverter="AccessMode">3</property>
308     <property
309         dataType="System.Boolean"
310         description="Indicates whether the values supplied for identity
columns will be copied to the destination. If false, values for
identity columns will be auto-generated at the destination. Applies
only if fast load is turned on."
311         name="FastLoadKeepIdentity">>false</property>
312     <property
313         dataType="System.Boolean"
314         description="Indicates whether the columns containing null will have
null inserted in the destination. If false, columns containing null
will have their default values inserted at the destination. Applies
only if fast load is turned on."
315         name="FastLoadKeepNulls">>false</property>
316     <property
317         dataType="System.String"
318         description="Specifies options to be used with fast load. Applies
only if fast load is turned on."
319         name="FastLoadOptions">TABLOCK,CHECK_CONSTRAINTS</property>
320     <property
321         dataType="System.Int32"
322         description="Specifies when commits are issued during data
insertion. A value of 0 specifies that one commit will be issued at
the end of data insertion. Applies only if fast load is turned on."
323         name="FastLoadMaxInsertCommitSize">2147483647</property>
324 </properties>
325 <connections>
326     <connection
327         refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Connections [OleDbConnection]"
328
329         connectionManagerID="Package.ConnectionManagers [DestinationConnectionOL
EDB]"

```

```

329         connectionManagerRefId="Package.ConnectionManagers[DestinationConnectio
nOLEDB]"
description="The OLE DB runtime connection used to access the
database."
330         name="OleDbConnection" />
331     </connections>
332     <inputs>
333         <input
334             refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination Input]"
335             errorOrTruncationOperation="Insert"
336             errorRowDisposition="FailComponent"
337             hasSideEffects="true"
338             name="Destination Input">
339             <inputColumns>
340                 <inputColumn
341                     refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination Input].Columns[Column 0]"
342                     cachedCodepage="1252"
343                     cachedDataType="str"
344                     cachedLength="3"
345                     cachedName="Column 0"
346                     externalMetadataColumnId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination
Input].ExternalColumns[CountyCode]"
347                     lineageId="Package\Data Flow Task 1\Data Conversion 0 -
0.Outputs[Data Conversion Output].Columns[Column 0]" />
348                 <inputColumn
349                     refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination Input].Columns[Column 1]"
350                     cachedCodepage="1252"
351                     cachedDataType="str"
352                     cachedLength="10"
353                     cachedName="Column 1"
354                     externalMetadataColumnId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination
Input].ExternalColumns[VoterID]"
355                     lineageId="Package\Data Flow Task 1\Data Conversion 0 -
0.Outputs[Data Conversion Output].Columns[Column 1]" />
356                 <inputColumn
357                     refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination Input].Columns[Column 2]"
358                     cachedCodepage="1252"
359                     cachedDataType="text"
360                     cachedName="Column 2"
361                     externalMetadataColumnId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination
Input].ExternalColumns[ElectionDate]"
362                     lineageId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column
2]" />
363                 <inputColumn
364                     refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination Input].Columns[Column 3]"
365                     cachedCodepage="1252"
366                     cachedDataType="str"
367                     cachedLength="3"
368                     cachedName="Column 3"
369                     externalMetadataColumnId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination
Input].ExternalColumns[ElectionType]"
370                     lineageId="Package\Data Flow Task 1\Data Conversion 0 -
0.Outputs[Data Conversion Output].Columns[Column 3]" />
371                 <inputColumn
372                     refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination Input].Columns[Column 4]"
373                     cachedCodepage="1252"

```

```

374         cachedDataType="str"
375         cachedLength="1"
376         cachedName="Column 4"
377         externalMetadataColumnId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination
Input].ExternalColumns[HistoryCode]"
378         lineageId="Package\Data Flow Task 1\Data Conversion 0 -
0.Outputs[Data Conversion Output].Columns[Column 4]" />
379     </inputColumns>
380     <externalMetadataColumns
381         isUsed="True">
382         <externalMetadataColumn
383             refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination
Input].ExternalColumns[CountyCode]"
384             codePage="1252"
385             dataType="str"
386             length="3"
387             name="CountyCode" />
388         <externalMetadataColumn
389             refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination
Input].ExternalColumns[VoterID]"
390             codePage="1252"
391             dataType="str"
392             length="10"
393             name="VoterID" />
394         <externalMetadataColumn
395             refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination
Input].ExternalColumns[ElectionDate]"
396             codePage="1252"
397             dataType="text"
398             name="ElectionDate" />
399         <externalMetadataColumn
400             refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination
Input].ExternalColumns[ElectionType]"
401             codePage="1252"
402             dataType="str"
403             length="3"
404             name="ElectionType" />
405         <externalMetadataColumn
406             refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination
Input].ExternalColumns[HistoryCode]"
407             codePage="1252"
408             dataType="str"
409             length="1"
410             name="HistoryCode" />
411     </externalMetadataColumns>
412 </input>
413 </inputs>
414 <outputs>
415     <output
416         refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Outputs[OLE DB Destination Error Output]"
417         exclusionGroup="1"
418         isErrorOut="true"
419         name="OLE DB Destination Error Output"
420         synchronousInputId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination Input]">
421     <outputColumns>
422         <outputColumn
423             refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Outputs[OLE DB Destination Error
Output].Columns[ErrorCode]"

```



```

424         dataType="i4"
425         lineageId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Outputs[OLE DB Destination Error
Output].Columns[ErrorCode]"
426         name="ErrorCode"
427         specialFlags="1" />
428     </outputColumn>
429     <outputColumn
refId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Outputs[OLE DB Destination Error
Output].Columns[ErrorColumn]"
430     dataType="i4"
431     lineageId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Outputs[OLE DB Destination Error
Output].Columns[ErrorColumn]"
432     name="ErrorColumn"
433     specialFlags="2" />
434 </outputColumns>
435 <externalMetadataColumns />
436 </output>
437 </outputs>
438 </component>
439 <component
refId="Package\Data Flow Task 1\Source - ALL_HISTORY_tab"
440 componentClassID="Microsoft.FlatFileSource"
441 contactInfo="Flat File Source;Microsoft Corporation; Microsoft SQL
Server; (C) Microsoft Corporation; All Rights Reserved;
442 http://www.microsoft.com/sql/support;1"
description="Flat File Source"
443 localeId="1033"
444 name="Source - ALL_HISTORY_tab"
445 usesDispositions="true"
446 version="1">
447 <properties>
448 <property
449     dataType="System.Boolean"
450     description="Specifies whether zero-length columns are treated as
451     null."
name="RetainNulls">false</property>
452 <property
453     dataType="System.String"
454     description="Specifies the name of an output column containing the
455     file name. If no name is specified, no output column containing the
file name will be generated."
456     name="FileNameColumnName"></property>
</properties>
457 <connections>
458 <connection
459     refId="Package\Data Flow Task 1\Source -
460     ALL_HISTORY_tab.Connections[FlatFileConnection]"
connectionManagerID="Package.ConnectionManagers[SourceConnectionFlatFil
e]"
461
connectionManagerRefId="Package.ConnectionManagers[SourceConnectionFlat
File]"
462     name="FlatFileConnection" />
</connections>
463 <outputs>
464 <output
465     refId="Package\Data Flow Task 1\Source - ALL_HISTORY_tab.Outputs[Flat
466     File Source Output]"
name="Flat File Source Output">
467 <outputColumns>
468 <outputColumn
469     refId="Package\Data Flow Task 1\Source -
470     ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column 0]"
codePage="1252"

```

```
473     dataType="text"
474     errorOrTruncationOperation="Conversion"
475     errorRowDisposition="FailComponent"
476     externalMetadataColumnName="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source
Output].ExternalColumns[Column 0]"
477     lineageId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column 0]"
478     name="Column 0"
479     truncationRowDisposition="FailComponent">
480 <properties>
481   <property
482     dataType="System.Boolean"
483     description="Indicates whether the column uses the faster,
locale-neutral parsing routines."
484     name="FastParse">false</property>
485   <property
486     dataType="System.Boolean"
487     description="Indicates whether the data is in binary format."
488     name="UseBinaryFormat">false</property>
489 </properties>
490 </outputColumn>
491 <outputColumn
492   refId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column 1]"
493   codePage="1252"
494   dataType="text"
495   errorOrTruncationOperation="Conversion"
496   errorRowDisposition="FailComponent"
497   externalMetadataColumnName="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source
Output].ExternalColumns[Column 1]"
498   lineageId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column 1]"
499   name="Column 1"
500   truncationRowDisposition="FailComponent">
501 <properties>
502   <property
503     dataType="System.Boolean"
504     description="Indicates whether the column uses the faster,
locale-neutral parsing routines."
505     name="FastParse">false</property>
506   <property
507     dataType="System.Boolean"
508     description="Indicates whether the data is in binary format."
509     name="UseBinaryFormat">false</property>
510 </properties>
511 </outputColumn>
512 <outputColumn
513   refId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column 2]"
514   codePage="1252"
515   dataType="text"
516   errorOrTruncationOperation="Conversion"
517   errorRowDisposition="FailComponent"
518   externalMetadataColumnName="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source
Output].ExternalColumns[Column 2]"
519   lineageId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column 2]"
520   name="Column 2"
521   truncationRowDisposition="FailComponent">
522 <properties>
523   <property
524     dataType="System.Boolean"
525     description="Indicates whether the column uses the faster,
locale-neutral parsing routines."
```

```

526         name="FastParse">false</property>
527     <property
528         dataType="System.Boolean"
529         description="Indicates whether the data is in binary format."
530         name="UseBinaryFormat">false</property>
531 </properties>
532 </outputColumn>
533 </outputColumn>
534     refId="Package\Data Flow Task 1\Source -
535     ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column 3]"
536     codePage="1252"
537     dataType="text"
538     errorOrTruncationOperation="Conversion"
539     errorRowDisposition="FailComponent"
540     externalMetadataColumnName="Package\Data Flow Task 1\Source -
541     ALL_HISTORY_tab.Outputs[Flat File Source
542     Output].ExternalColumns[Column 3]"
543     lineageId="Package\Data Flow Task 1\Source -
544     ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column 3]"
545     name="Column 3"
546     truncationRowDisposition="FailComponent">
547 <properties>
548     <property
549         dataType="System.Boolean"
550         description="Indicates whether the column uses the faster,
551         locale-neutral parsing routines."
552         name="FastParse">false</property>
553     <property
554         dataType="System.Boolean"
555         description="Indicates whether the data is in binary format."
556         name="UseBinaryFormat">false</property>
557 </properties>
558 </outputColumn>
559 </outputColumn>
560     refId="Package\Data Flow Task 1\Source -
561     ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column 4]"
562     codePage="1252"
563     dataType="text"
564     errorOrTruncationOperation="Conversion"
565     errorRowDisposition="FailComponent"
566     externalMetadataColumnName="Package\Data Flow Task 1\Source -
567     ALL_HISTORY_tab.Outputs[Flat File Source
568     Output].ExternalColumns[Column 4]"
569     lineageId="Package\Data Flow Task 1\Source -
570     ALL_HISTORY_tab.Outputs[Flat File Source Output].Columns[Column 4]"
571     name="Column 4"
572     truncationRowDisposition="FailComponent">
573 <properties>
574     <property
575         dataType="System.Boolean"
576         description="Indicates whether the column uses the faster,
577         locale-neutral parsing routines."
578         name="FastParse">false</property>
579     <property
580         dataType="System.Boolean"
581         description="Indicates whether the data is in binary format."
582         name="UseBinaryFormat">false</property>
583 </properties>
584 </outputColumn>
585 </outputColumns>
586 <externalMetadataColumns
587     isUsed="True">
588 <externalMetadataColumn
589     refId="Package\Data Flow Task 1\Source -
590     ALL_HISTORY_tab.Outputs[Flat File Source
591     Output].ExternalColumns[Column 0]"
592     codePage="1252"

```

```

581         dataType="text"
582         name="Column 0" />
583     <externalMetadataColumn
584         refId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source
Output].ExternalColumns[Column 1]"
585         codePage="1252"
586         dataType="text"
587         name="Column 1" />
588     <externalMetadataColumn
589         refId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source
Output].ExternalColumns[Column 2]"
590         codePage="1252"
591         dataType="text"
592         name="Column 2" />
593     <externalMetadataColumn
594         refId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source
Output].ExternalColumns[Column 3]"
595         codePage="1252"
596         dataType="text"
597         name="Column 3" />
598     <externalMetadataColumn
599         refId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source
Output].ExternalColumns[Column 4]"
600         codePage="1252"
601         dataType="text"
602         name="Column 4" />
603     </externalMetadataColumns>
604 </output>
605 <output
606     refId="Package\Data Flow Task 1\Source - ALL_HISTORY_tab.Outputs[Flat
File Source Error Output]"
607     isErrorOut="true"
608     name="Flat File Source Error Output">
609     <outputColumns>
610         <outputColumn
611             refId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Error
Output].Columns[Flat File Source Error Output]"
612             codePage="1252"
613             dataType="text"
614             description="Flat File Source Error Output Column"
615             lineageId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Error
Output].Columns[Flat File Source Error Output]"
616             name="Flat File Source Error Output Column" />
617         <outputColumn
618             refId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Error
Output].Columns[ErrorCode]"
619             dataType="i4"
620             lineageId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Error
Output].Columns[ErrorCode]"
621             name="ErrorCode"
622             specialFlags="1" />
623         <outputColumn
624             refId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Error
Output].Columns[ErrorColumn]"
625             dataType="i4"
626             lineageId="Package\Data Flow Task 1\Source -
ALL_HISTORY_tab.Outputs[Flat File Source Error
Output].Columns[ErrorColumn]"

```

```
627         name="ErrorColumn"
628         specialFlags="2" />
629     </outputColumns>
630     <externalMetadataColumns />
631 </output>
632 </outputs>
633 </component>
634 </components>
635 <paths>
636     <path
637         refId="Package\Data Flow Task 1.Paths[Data Conversion Output]"
638         endId="Package\Data Flow Task 1\Destination -
tblVoterHistories.Inputs[Destination Input]"
639         name="Data Conversion Output"
640         startId="Package\Data Flow Task 1\Data Conversion 0 - 0.Outputs[Data
Data Conversion Output]" />
641     <path
642         refId="Package\Data Flow Task 1.Paths[Flat File Source Output]"
643         endId="Package\Data Flow Task 1\Data Conversion 0 - 0.Inputs[Data
Data Conversion Input]"
644         name="Flat File Source Output"
645         startId="Package\Data Flow Task 1\Source - ALL_HISTORY_tab.Outputs[Flat
Flat File Source Output]" />
646     </paths>
647 </pipeline>
648 </DTS:ObjectData>
649 </DTS:Executable>
650 </DTS:Executables>
651 </DTS:Executable>
```